


PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P				M				K						N	S	H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF3079	SF4077	SF0557	SF2053	SF4057	SF1079	SF2079	SF3079	SF4077	SF1009	SF10P4						SF3079	SF0376	
																						iC	S	I	R	F
	SNHU 120608-LP		◆	◆	◆			◆	◆	◆		◆										13,30	6,35	11,60	0,80	1,00
	SNKU 120608-LP		◆	◆	◆			◆	◆	◆		◆										13,30	6,35	11,60	0,80	1,00
	PNHX 1105-MK	◆	◆							◆		◆	◆	◆								16,50	5,66	5,70	-	1,30
	PNHX 1105-HK									◆												16,50	5,66	5,70	-	1,30
	PNKX 1105-MK	◆	◆							◆												16,50	5,66	5,70	-	1,30

		P					M		K					N		S		H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF3079	SF4077	SF0557	SF2053	SF4057	SF1079	SF(20/30)79	SF4077	SF1009	SF10P4	SF3079						SF4077	SF0376	
	SNHX 1206-LP			◆	◆			◆											◆			12,70	6,35	9,30	0,80	2,00
	SNHX 1606-LP			◆	◆	◆		◆	◆						◆	◆						16,50	6,35	12,50	0,80	2,20
	SNHX 1206-MP		◆	◆	◆																	12,70	6,35	9,30	0,80	2,00
	SNHX 1606-MP			◆		◆																16,50	6,35	12,50	0,80	2,20
	SNHX 1206-MK									◆		◆	◆	◆								12,70	6,35	9,30	0,80	2,00
	SNHX 1606-MK											◆										16,50	6,35	12,50	0,80	2,20
	SNHX 1206-LN																◆					12,70	6,35	9,30	0,80	2,00
	SNHX 1206-W		◆	◆										◆	◆							12,70	6,35	9,30	0,40	7,60
	SNKX 1206-MP			◆		◆																12,70	6,35	9,30	0,80	2,00
	SNKX 1606-MP			◆		◆																16,50	6,35	12,50	0,80	2,20
	SNKX 1206-MK									◆	◆	◆										12,70	6,35	9,30	0,80	2,00
	SNKX 1606-MK										◆	◆										16,50	6,35	12,50	0,80	2,20
	ONHX 050505-LP			◆	◆	◆		◆	◆										◆	◆		12,70	5,20	5,30	0,50	-
	ONHX 0606-LP			◆	◆	◆		◆	◆					◆	◆							16,50	6,36	6,20	0,80	1,00
	ONHX 0606-MP			◆		◆																16,50	6,35	6,20	0,80	1,00
	ONHX 0606-MK									◆		◆										16,50	6,35	6,20	0,80	1,00
	ONHX 050500-W			◆						◆												12,70	5,20	5,30	-	4,30
	ONHX 0606-W			◆						◆				◆								16,50	6,35	6,20	-	6,00
	ONKX 050505-LP			◆	◆			◆											◆			12,70	5,20	5,30	0,50	-
	ONKX 0606-LP			◆	◆	◆		◆	◆					◆	◆	◆						16,50	6,35	6,20	0,80	1,00
	ONKX 050505-MP			◆	◆																	12,70	5,20	5,30	0,50	-
	ONKX 0606-MP			◆		◆																16,50	6,35	6,20	0,80	1,00
	ONKX 050500-MK										◆	◆										12,70	5,20	5,30	-	-
	ONKX 0606-MK									◆		◆										16,50	6,35	6,20	0,80	1,00




PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P					M				K					N	S	H	DIMENSIONES (mm)								
PLAQUITAS	REFERENCIA ISO	SF0376	SF1069	SF2069	SF3069	SF4067	SF40M7	SF2069	SF3069	SF4067	SF0557	SF1069	SF2069	SF3069	SF4067	SF1009	SF10P4	SF3069							SF4067	SF0376	
	SEHT 1204 AFEN			◆		◆				◆			◆		◆							12,70	4,76	12,70	2,80	-	-
	SEHT 1204 AFTN			◆		◆				◆			◆		◆							12,70	4,76	12,70	2,80	-	-
	SEHT 1204-LN																◆					12,70	4,76	12,70	2,00	-	-
	SEHT 13T3 AGSN			◆		◆				◆			◆		◆							13,35	3,97	10,00	2,00	-	-
	SEHT 13T3-LN																◆					13,35	3,97	10,00	2,30	-	-
	SEHT 13T3-W			◆									◆									13,35	3,97	10,00	8,20	-	-
	SEHW 1204 AFEN			◆		◆				◆			◆		◆							12,70	4,76	12,70	2,80	-	-
	SEHW 1204 AFTN			◆		◆				◆			◆		◆							12,70	4,76	12,70	2,80	-	-
	SEHW 13T3 AGFN			◆									◆									13,35	3,97	10,00	2,00	-	-


		P					M				K				N	S	H	DIMENSIONES (mm)									
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2069	SF2561	SF3561	SF40M7	SF2079	SF3079	SF4077	SF0557	SF2053	SF4057	SF1079	SF2069	SF3079	SF1009							SF3079	SF4077	SF0376	
		iC	S	I	F	B	R																				
	PDMW 120420 T				◆	◆																16,52	4,76	12,00	-	-	2,00
	PDHW 120420 T			◆	◆	◆									◆							16,52	4,76	12,00	-	-	2,00

		P					M				K				N	S	H	DIMENSIONES (mm)								
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF3079	SF4077	SF0557	SF2053	SF1079	SF2079	SF3079	SF4077	SF1009						SF3079	SF4077	SF0361	
	POKT 040305-MP		◆	◆	◆				◆	◆			◆	◆					◆	◆		7,00	3,00	-	0,50	-


		P					M				K				N	S			DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF3079	SF4077	SF0557	SF4057	SF1079	SF2079	SF3079	SF4077	SF1009	SF40M7						SF3079	SF4077	
	SOEW 080310 S		◆	◆									◆	◆								8,60	3,47	-	1,00	1,00
	SOEW 13M510 S		◆	◆		◆							◆	◆								12,43	5,00	-	1,20	1,00
	SOEW 160512 S		◆	◆		◆							◆	◆		◆						16,40	5,26	-	2,00	1,50
	SOKW 080310 S		◆	◆									◆	◆								8,60	3,47	-	1,00	1,00
	SOKW 13M510 S		◆	◆		◆							◆	◆								12,43	5,00	-	1,20	1,00
	SOET 080315-MS				◆	◆	◆		◆	◆									◆	◆	◆	8,60	3,47	-	1,50	-
	SOET 13M520-MS				◆	◆	◆		◆	◆									◆	◆	◆	12,43	5,00	-	2,00	-
	SOET 160520-MS				◆	◆	◆		◆	◆									◆	◆	◆	16,40	5,26	-	2,00	-




WDET / WDMW / WNMW



WNHU



SPKW / SPKT






XPET

PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P						M				K				N		S		H	DIMENSIONES (mm)					
PLAQUITAS	REFERENCIA ISO	SF1079	SF2079	SF3079	SF2561	SF3561	SF4077	SF40M7	SF2079	SF3079	SF4077	SF1079	SF2079	SF3079	SF4077	SF1009	SF10P4	SF3079	SF4077	SF0376						
		iC					S					I					R									F
	WDET 120420-MS			◆			◆			◆	◆								◆	◆		12,00	4,76	11,90	2,00	-
	WDMW 120420-T		◆				◆							◆		◆						12,00	4,76	11,90	2,00	-
	WNMW 1207-SP	◆	◆		◆	◆						◆	◆									12,00	7,00	11,90	2,00	-
	WNHU 04T308-LP		◆	◆										◆	◆							6,35	3,50	-	0,80	-

		P					M				K				N		S		H	DIMENSIONES (mm)						
PLAQUITAS	REFERENCIA ISO	SF0361	SF1069	SF2069	SF2561	SF4067	SF40M7	SF2069	SF3069	SF4067	SF0557	SF2053	SF4057	SF1069	SF2069	SF1009	SF10P4	SF3069	SF4067						SF0361	
		iC					S					I					R					F				
	SPKW 08T308-E			◆											◆							8,50	3,97	-	-	-
	SPKW 08T308-S			◆											◆							8,50	3,97	-	-	-
	SPKT 08T308-E			◆				◆							◆							8,50	3,97	-	-	-

		P					M			K				N		S		H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF3079	SF0557	SF4057	SF1079	SF2079	SF3079	SF4077	SF1009	SF10P4	SF3079						SF4077	SF0376	
 XPET-LP	XPET 060204-LP			◆	◆				◆					◆	◆				◆			3,90	2,40	5,30	0,40	0,80
	XPET 060208-LP			◆	◆				◆					◆	◆				◆			3,90	2,40	5,30	0,80	0,60
	XPET 060216-LP			◆	◆				◆					◆	◆				◆			3,90	2,40	5,30	1,60	0,50
 XPET-MP	XPET 100304-LP			◆	◆				◆					◆	◆				◆			6,95	3,96	10,50	0,40	1,20
	XPET 100308-LP			◆	◆				◆					◆	◆				◆			6,95	3,96	10,50	0,80	1,40
	XPET 100316-LP			◆	◆				◆					◆	◆				◆			6,95	3,96	10,50	1,60	0,50
 XPET-LN	XPET 100304-MP		◆	◆	◆				◆	◆	◆	◆	◆	◆	◆				◆			6,95	3,96	10,50	0,40	1,20
	XPET 100308-MP		◆	◆	◆				◆	◆	◆	◆	◆	◆	◆				◆			6,95	3,96	10,50	0,80	1,40
	XPET 100304-LN																◆					6,95	3,96	10,50	0,40	1,20
 XPET-HF	XPET 100312-LN																◆					6,95	3,96	10,50	1,20	0,90
	XPET 060210-HF			◆	◆				◆					◆	◆				◆			3,90	2,40	-	1,00	0,80
	XPET 100312-HF		◆	◆	◆				◆				◆	◆	◆				◆			6,95	3,96	-	1,20	0,80




PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P					M			K					N		S		H	DIMENSIONES (mm)					
PLAQUITAS	REFERENCIA ISO	SF0361	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF4077	SF0557	SF4057	SF1079	SF2079	SF3079	SF4077	SF1009	SF10P4	SF3079	SF4077	SF0361	iC	S	I	R	F
	WNHU 04T308-LP			◆	◆									◆	◆						6,35	3,50	-	0,80	-

PLAQUITAS	REFERENCIA ISO	P					M			K						N	S		H	DIMENSIONES (mm)					
		SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF3079	SF4077	SF0557	SF2053	SF4057	SF1079	SF2079	SF3079	SF4077	SF1009	SF3079	SF4077						SF0376
		iC	S	I	R	F																			
	LNGX 100405-LP		◆	◆	◆								◆	◆	◆						6,60	6,20	10,00	0,50	1,00
	LNGX 100408-LP			◆	◆									◆	◆	◆					6,60	6,20	10,00	0,80	1,00
	LNGX 100412-LP			◆	◆										◆	◆	◆				6,60	6,20	10,00	1,20	1,00
	LNGX 160708-LP		◆	◆	◆								◆	◆	◆						11,20	10,8	16,00	0,80	1,40
	LNGX 160712-LP			◆	◆									◆	◆	◆					11,20	10,5	16,00	1,20	1,20
	LNGX 100405-LM			◆	◆	◆		◆	◆					◆	◆	◆		◆	◆		6,60	6,20	10,00	0,50	1,00
	LNGX 100408-LM			◆	◆			◆	◆					◆	◆	◆		◆	◆		6,60	6,20	10,00	0,80	1,00
	LNGX 100412-LM			◆	◆	◆		◆	◆					◆	◆	◆		◆	◆		6,60	6,20	10,00	1,20	1,00
	LNGX 100405-LN																◆				6,60	6,20	10,00	0,50	1,00
	LNGX 100412-LN																◆				6,60	6,20	10,00	1,20	1,00
	LNGX 160708-LN																◆				11,20	10,8	16,00	0,80	1,40
	LNGX 160712-LN																◆				11,20	10,5	16,00	1,20	1,20
	LNGX 120604-LS			◆	◆	◆		◆	◆					◆	◆			◆	◆		9,00	8,30	12,00	0,40	1,60
	LNGX 120608-LS			◆	◆	◆		◆	◆					◆	◆			◆	◆		9,00	8,30	12,00	0,80	1,20
	LNGX 120616-LS			◆	◆	◆		◆	◆					◆	◆			◆	◆		9,00	8,30	12,00	1,60	0,40
	LNGX 120604-MP			◆		◆				◆				◆	◆						9,00	8,30	12,00	0,40	1,60
	LNGX 120608-MP			◆		◆				◆				◆	◆						9,00	8,30	12,00	0,80	1,20
	LNGX 120616-MP			◆		◆				◆				◆	◆						9,00	8,30	12,00	1,60	0,40
	LNGX 160708-MP		◆	◆	◆								◆	◆	◆						11,20	10,8	16,00	0,80	1,40
	LNGX 160712-MP			◆	◆									◆	◆						11,20	10,5	16,00	1,20	1,20


		P					M		K					N		S		H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF4077	SF0557	SF2053	SF1079	SF2079	SF3079	SF4077	SF1009	SF10P4	SF3079						SF4077	SF0376	
		iC	S	I	R	F																				
 LNHU MP/HP  LNHU-W	LNHU 130604-MP			◆		◆			◆				◆		◆							9,80	6,80	3,00	0,40	9,00
	LNHU 130608-MP			◆		◆			◆		◆		◆		◆							9,80	6,80	2,60	0,80	9,00
	LNHU 150608-MP		◆	◆		◆				◆		◆	◆	◆								11,00	6,35	15,00	0,80	1,80
	LNHU 150612-MP			◆		◆				◆		◆		◆								11,00	6,35	15,00	1,20	1,80
	LNHU 150608-HP			◆		◆									◆	◆						11,00	6,35	15,00	0,80	1,80
	LNHU 150608-W		◆								◆			◆									11,00	6,35	15,20	0,80







PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P				M				K					N	S	H	DIMENSIONES (mm)								
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF40M	SF2079	SF3079	SF4077	SF0557	SF2053	SF1079	SF3079	SF4077	SF1009	SF10P4	SF3079						SF4077	SF3076	SF10H9	
																						iC	S	I	R	F
	XDGX 15M504-LN														◆							11,20	5,00	16,00	0,40	1,50
	XDGX 15M508-LN														◆							11,20	5,00	16,00	0,80	1,10
	XDGX 15M512-LN														◆							11,20	5,00	16,00	1,20	0,70
	XDGX 15M516-LN														◆							11,20	5,00	16,00	1,60	0,40
	XDGX 15M520-LN														◆							11,20	5,00	16,00	2,00	0,20
	XDGX 15M532-LN														◆							11,20	5,00	16,00	3,20	0,60
	XDGX 15M540-LN														◆							11,20	5,00	16,00	4,00	0,50
	XDGX 15M550-LN														◆							11,20	5,00	16,00	5,00	0,40
	XDGX 22M708-LN														◆							13,00	7,00	22,00	0,80	2,00
	XDGX 22M716-LN														◆							13,00	7,00	22,00	1,60	1,20
	XDGX 22M720-LN														◆							13,00	7,00	22,00	2,00	0,80
	XDGX 22M732-LN														◆							13,00	7,00	22,00	3,20	0,60
	XDGX 22M740-LN														◆							13,00	7,00	22,00	4,00	0,90
	XDGX 22M750-LN														◆							13,00	7,00	22,00	5,00	0,40
	VCGX 220530-LN														◆							12,70	5,60	12,70	3,00	-

		P					M		K					N		S		H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1069	SF2069	SF3069	SF4067	SF40M7	SF3069	SF4067	SF0557	SF2053	SF1069	SF2069	SF3069	SF4067	SF1009	SF10P4	SF3069						SF4067	SF0376	
	SPMT 120408-MP			◆		◆			◆				◆		◆					◆		12,70	4,76	-	0,80	-
	SPMW 120408					◆			◆						◆							12,70	4,76	-	0,80	-

		P					M			K					N		S	H	DIMENSIONES (mm)						
PLAQUITAS	REFERENCIA ISO	SF1069	SF2069	SF2079	SF3069	SF3079	SF2069	SF3069	SF3079	SF2053	SF1069	SF2069	SF2079	SF3069	SF3079	SF1009	SF10P4	SF3069	SF4067	SF0376	iC	S	I	R	F
	APET 100305-LN															◆					6,70	3,50	10,00	1,20	0,50
	APKT 100305 ER-X1		◆		◆			◆				◆		◆							6,70	3,50	10,00	1,20	0,50
	APKT 160408 ER-X1	◆			◆			◆				◆		◆							9,45	5,35	16,00	0,80	1,80
	APKT 100305 SR-X1		◆		◆							◆		◆							6,70	3,50	10,00	1,20	0,50
	APKT 160408 SR-X1		◆		◆			◆				◆		◆							9,45	5,35	16,00	0,80	1,80
	APKT 160408 ER-X2			◆		◆			◆				◆		◆						9,45	5,35	16,00	0,80	1,80
	APKT 160408 SR-X2			◆		◆			◆				◆		◆						9,45	5,35	19,00	0,80	1,80
	APKT 100308 ER-X		◆		◆			◆				◆		◆							6,70	3,50	10,00	0,90	0,80
	APKT 100312 ER-X		◆		◆			◆				◆		◆							6,70	3,50	10,00	-	1,20
	APKT 160416 ER-X		◆									◆									9,45	5,35	16,00	1,60	1,20
	APKT 160432 ER-X		◆									◆									9,45	5,35	16,00	3,20	-
	APKT 100308 SR-X		◆									◆									6,70	3,50	10,00	0,90	0,80
	APKT 100312 SR-X		◆									◆									6,70	3,50	10,00	-	1,20
	APKT 160416 SR-X		◆		◆							◆		◆							9,45	5,35	16,00	1,60	1,20
	APKT 160432 SR-X		◆									◆									9,45	5,35	16,00	3,20	-
	APKT 100308 TR-X		◆		◆							◆		◆							6,70	3,50	10,00	0,90	0,80
	APKT 100312 TR-X		◆		◆							◆		◆							6,70	3,50	10,00	-	1,20
	APKT 160408 LN															◆					9,45	5,35	16,00	-	1,74
	APHT 1604-LN															◆					9,45	5,35	16,00	-	1,74




PLAQUITA PARA FRESADO

PLAQUITA PARA FRESADO		P				M				K						N	S	H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1069	SF2069	SF3069	SF40M7	SF2069	SF3069	SF4067	SF0557	SF2053	SF4057	SF1069	SF2069	SF3069	SF4067	SF1009	SF10P4						SF3069	SF0376	
	ADKT 1505 PDR			◆			◆															9,54	5,63	15,70	-	1,60
	ADKT 1505 PDSR			◆	◆			◆							◆	◆						9,54	5,63	15,70	-	1,60
	ADKT 1505 PDTR			◆											◆							9,54	5,63	15,70	-	1,60

		P				M				K				N	S	H	DIMENSIONES (mm)									
PLAQUITAS	REFERENCIA ISO	SF0361	SF1079	SF2079	SF3079	SF40M7	SF2079	SF3079	SF4077	SF0557	SF2053	SF4057	SF1079	SF2079	SF3079	SF4077						SF1009	SF10P4	SF3079	SF0361	
																						iC	S	I	R	F
	WNHU 04T310	◆	◆	◆									◆	◆						◆	6,35	3,50	2,80	1,00	-	
	WNHU 060410	◆	◆	◆									◆	◆						◆	9,53	4,76	3,40	1,00	-	


PLAQUITAS	REFERENCIA ISO	P						M	K						N	S	H	DIMENSIONES (mm)							
		SF0361	SF1069	SF2069	SF2561	SF3561	SF4067	SF40M7	SF3079	SF0557	SF2053	SF4057	SF1069	SF2069	SF4067	SF1009	SF10P4	SF40M7	SF3079	SF0361	iC	S	I	R	F
 RPHT (SFM GRADO)	RDHT 0802-LS							◆	◆									◆	◆		7,00	2,38	-	-	-
	RPHT 10T3-MS							◆	◆									◆	◆		7,00	2,38	-	-	-
	RPHT 1204-MS							◆	◆									◆	◆		10,00	3,18	-	-	-
	RPHT 1605-MS							◆	◆									◆	◆		10,00	3,18	-	-	-
 RPHT (SF3079 GRADO)	RPHT 2006-MS							◆	◆									◆	◆		10,00	3,18	-	-	-
	RDHW 0702 MOT	◆	◆	◆								◆	◆							◆	7,00	2,38	-	-	-
	RDHW 1003 MOT	◆	◆	◆		◆						◆	◆							◆	10,00	2,38	-	-	-
	RDHW 12T3 MOT	◆	◆	◆		◆						◆	◆							◆	12,00	3,97	-	-	-
 RDHW	RDHW 1604 MOT	◆	◆	◆		◆						◆	◆							◆	16,00	4,76	-	-	-
	RDHT 1003 MOT				◆	◆															10,00	3,18	-	-	-
	RDHT 12T3 MOS-MP			◆			◆							◆	◆						12,00	3,97	-	-	-
	RDHT 12T3 MOT				◆	◆															12,00	3,97	-	-	-
 RDHT	RDHT 1604 MOS-MP			◆			◆							◆	◆				◆	16,00	4,76	-	-	-	
	RDHT 1604 MOT				◆	◆															16,00	4,76	-	-	-
	RDMT 1003 MOT				◆	◆															10,00	3,18	-	-	-
	RDMT 12T3 MOT				◆	◆															12,00	3,97	-	-	-
 RDMT	RDMT 2006 MOT				◆	◆															20,00	6,35	-	-	-
	RDMW 12T3 MOT			◆	◆	◆							◆								12,00	3,97	-	-	-
	RDMW 2006 MOT				◆	◆															20,00	6,35	-	-	-

		P				M				K				N	S	H	DIMENSIONES (mm)									
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF40M7	SF2079	SF3079	SF4077	SF0557	SF2053	SF4057	SF1079	SF2079	SF3079	SF1009						SF10P4	SF40M7	SF3079	SF0376	
	RNHX 1204-LP			◆	◆	◆		◆											◆	◆		12,00	4,76	-	-	-
	RNHX 1204-MP			◆	◆			◆							◆							12,00	4,76	-	-	-




PLAQUITAS PARA FRESADO


PLAQUITAS PARA FRESADO		P					M			K					N		S		H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0361	SF1069	SF2069	SF2561	SF3561	SF40M7	SF2069	SF3069	SF0557	SF2053	SF4057	SF1069	SF2069	SF2561	SF03D1	SF10P4	SF3069	SF4067							SF0361	
	XDHW 040105															◆						4,00	1,59	4,00	-	-	0,50
	XDHW 040110	◆	◆		◆								◆		◆	◆				◆		4,00	1,59	4,00	-	-	1,00
	XDHW 060210	◆	◆		◆	◆							◆		◆	◆				◆		6,50	2,38	6,20	-	-	1,00
	XDHW 10T310	◆	◆		◆	◆							◆		◆					◆		10,00	3,97	9,90	-	-	1,00

		P	M	K						N	H	DIMENSIONES (mm)							
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF10H9	SF1009	SF1079	SF2079	SF3079	SF4077	SF03P4	SF10H9						
		iC	S	I	d1	r	W												
	XNHW 120508 PZTR-015045											◆		12,25	5,40	4,50	4,80	0,80	1,50
	XNHW 120508 PZTR-000080											◆		12,25	5,40	8,00	4,80	0,80	-
	XNHW 1205 PZFR-020120											◆		12,25	5,40	12,00	4,80	-	2,00
PLAQUITAS	REFERENCIA ISO	SF0361	SF1069	SF2069	SF3069	SF0557	SF2053	SF4057	SF1069	SF2069	SF3069	SF10P4	SF10H9	DIMENSIONES (mm)					
		iC	S	I	F	B	R												
	RDHW 0702MO T02020												◆	7,00	2,38	-	-	-	-
	RDHW 1003MO T02020												◆	10,00	3,18	-	-	-	-
	XDHW 040110 FN											◆		4,00	1,59	4,00	-	-	1,00
	XDHW 060210 FN											◆		4,00	1,59	4,00	-	-	1,00
	XDHW 10T310 FN											◆		6,50	2,38	6,20	-	-	1,00
	XDHW 040110 TN												◆	6,50	2,38	6,20	-	-	1,00
	XDHW 060210 TN												◆	10,00	3,97	9,90	-	-	1,00
	XDHW 10T310 TN												◆	10,00	3,97	9,90	-	-	1,00


		P		M		K				N	S	H	DIMENSIONES (mm)													
PLAQUITAS	REFERENCIA ISO	SF0376	SF1079	SF2079	SF3079	SF4077	SF40M7	SF2079	SF3079	SF0557	SF2053	SF4057	SF1079	SF2079	SF3079	SF1009	SF10P4	SF40M7	SF3079	SF0376						
																						iC	S	I	F	R
	SOMT 11T308			◆				◆						◆								10,87	3,97	11,00	-	0,80



SPKX




WCKX / WCMX




WCKX-LC

PLAQUITAS PARA BROCAS

PLAQUITAS PARA BROCAS		P					M			K				N		S			H		DIMENSIONES (mm)			
PLAQUITAS	REFERENCIA ISO	SF0369	SF1069	SF2069	SF3069	SF4067	SF2069	SF3069	SF2561	SF1069	SF2069	SF3069	SF0567	SF1009	SF10P4	SF1069	SF2069	SF3069	SF0369	SF10H9				
																						iC	S	d1
	SPKX 050204			◆	◆		◆	◆			◆	◆					◆	◆			5,00	2,38	2,20	0,40
	SPKX 060204			◆	◆		◆	◆			◆	◆					◆	◆			6,00	2,38	2,55	0,40
	SPKX 07T308			◆	◆		◆	◆			◆	◆					◆	◆			7,94	3,97	2,85	0,80
	SPKX 090408			◆	◆		◆	◆			◆	◆					◆	◆			9,80	4,30	4,10	0,80
	SPKX 110408			◆	◆		◆	◆			◆	◆					◆	◆			11,50	4,80	4,40	0,80
	SPKX 140512			◆	◆		◆	◆			◆	◆					◆	◆			14,30	5,20	5,75	1,20
	WCKX 02T104			◆	◆		◆	◆			◆	◆					◆	◆			4,76	1,98	2,00	0,40
	WCKX 030204			◆	◆		◆	◆			◆	◆					◆	◆			5,56	2,38	2,55	0,40
	WCKX 040204			◆	◆		◆	◆			◆	◆					◆	◆			6,35	2,38	2,85	0,40
	WCKX 050308			◆	◆		◆	◆			◆	◆					◆	◆			7,94	3,18	3,50	0,80
	WCKX 06T308			◆	◆		◆	◆			◆	◆					◆	◆			9,55	3,97	4,10	0,80
	WCKX 080408			◆	◆		◆	◆			◆	◆					◆	◆			12,70	4,76	5,60	0,80
	WCKX 050308-LC			◆	◆															7,94	3,18	3,50	0,80	
	WCKX 06T308-LC			◆	◆															9,55	3,97	4,10	0,80	
	WCMX 030208			◆	◆		◆	◆			◆	◆					◆	◆			5,56	2,38	2,80	0,40
	WCMX 040208			◆	◆		◆	◆			◆	◆					◆	◆			6,35	2,38	3,10	0,80
	WCMX 050308			◆	◆		◆	◆			◆	◆					◆	◆			7,94	3,18	3,20	0,80
	WCMX 06T308			◆	◆		◆	◆			◆	◆					◆	◆			9,525	3,97	3,70	0,80
	WCMX 040804			◆	◆		◆	◆			◆	◆					◆	◆			12,70	4,76	4,30	0,80
	WCMX 080412			◆	◆		◆	◆			◆	◆					◆	◆			12,70	4,76	4,30	1,20




TIPO DE BROCA:



A(CON CONO)




B(CON CHAFLÁN)









C

BROCA PILOTO	REFERENCIA	DIMENSIONES (mm)		TIPO	PARA TALADRAR:
		ØD	L		
	MDP3006	6	30	B	(Ø25-Ø30)
	MDP 3508	8	35	B	(Ø31-Ø40)
	MDP 3510	10	35	B	(Ø41-Ø50),(Ø45-Ø55)
	MDP 3812	12	38	B	(Ø51-Ø75),(Ø55-Ø75)
	MDP 4516	16	45	B	(Ø75-Ø80),(Ø75-Ø100)
	MDP 4520	20	45	C	(Ø100-Ø120)
	MDP 5625	25	56	C	(Ø120-Ø160)
	MDP 6830	30	68	C	(Ø160-Ø180)
	MDP 2006	6	20	A	(Ø18,0-Ø25,0)
	MDP 2508	8	25	A	(Ø25,5-Ø30,0)








PLAQUITAS PARA FRESADO


PLAQUITAS PARA FRESADO		P							M			K							DIMENSIONES (mm)					
PLAQUITAS	REFERENCIA ISO	SF0361	SF1069	SF2069	SF3069	SF2561	SF3561	SF4067	SF2069	SF3069	SF4067	SF0557	SF4057	SF0567	SF1069	SF2069	SF2563	SF4067						SF2503
																				IC	S	I	R	F
	ACET 150612 TR			◆				◆							◆					12,70	6,35	15,00	1,20	1,70
	ADHW 150308 R			◆											◆					9,53	3,18	15,00	0,80	-
	ADMT 150308R			◆			◆		◆							◆				9,53	3,18	15,00	0,80	-
	ADMW 150308R			◆												◆				9,53	3,18	15,00	0,80	-
	APFT 1604 PDSR			◆												◆				9,53	4,76	16,00	0,80	2,00
	APFW 1604 PDER			◆												◆				9,53	4,76	16,00	0,80	2,00
	APFW 1604 PDTR			◆												◆				9,53	4,76	16,00	0,80	2,00
	BOMT 130408R			◆												◆				8,13	4,85	11,50	1,20	1,40
	ENHQ 090400 R			◆																9,52	4,76	-	-	-
	ENHQ 090400-L			◆																9,52	4,76	-	-	-
	ENHQ 090408-L			◆																9,52	4,76	-	0,80	-
	ENHQ 090408-R			◆																9,52	4,76	-	0,80	-
	ENHQ 120600 L			◆																12,70	6,35	-	-	-
	ENHQ 120600 R			◆																12,70	6,35	-	-	-
	ENHQ 120610 L			◆																12,70	6,35	-	1,00	-
	ENHQ 120610 R			◆																12,70	6,35	-	1,00	-
	ENHQ 120630 TR			◆																12,70	6,35	-	3,00	-
	ENHQ 120640 R			◆																12,70	6,35	-	4,00	-
	LNE 323-02															◆				9,53	4,76	15,88	-	0,40
	LNE 323-10															◆				9,53	4,76	15,88	1,27	-
	LNE 323-02 SP															◆				9,53	4,76	15,88	0,80	1,20
	SEAN 1203 AFSN			◆											◆					12,70	3,18	9,20	1,20	2,40
	SEKN 1203 AFSN			◆																12,70	3,18	9,20	1,20	2,40
	SEKN 1204 AFSN			◆																12,70	4,76	9,20	1,20	2,40
	SEKN 1504 AFEN		◆	◆				◆		◆				◆	◆		◆			15,88	4,76	12,30	1,00	2,40
	SEKN 1504 AFTN			◆				◆							◆		◆			15,88	4,76	12,30	1,00	2,40
	SEKR 1203 AFEN			◆											◆					12,70	3,18	9,20	1,20	2,40
	SEKR 1203 AFSN			◆											◆					12,70	3,18	9,20	1,20	2,40
	SEKR 1504 AFSN			◆				◆							◆		◆			15,88	4,76	12,30	1,00	2,40
	SPXR 1203 EDSR-MP			◆				◆								◆		◆		12,70	3,18	12,70	1,00	1,37







PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P							M			K					DIMENSIONES (mm)						
PLAQUITAS	REFERENCIA ISO	SF1069	SF2069	SF2069	SF2079	SF3069	SF4067	SF4077	SF2551	SF4057	SF2069	SF3069	SF4067	SF4057	SF1069	SF2563						SF4067	SF2503
	TPKN 1603 PDER		◆			◆									◆		◆		9,53	3,18	16,50	0,70	1,40
	TPKN 1603 PDTR		◆			◆									◆		◆		9,53	3,18	16,50	0,70	1,40
	TPKN 2204 PDER		◆			◆									◆		◆		12,70	4,76	22,00	0,50	1,70
	TPKN 2204 PDFR																	◆	12,70	4,76	22,00	0,50	1,70
	TPKN 2204 PDSR		◆			◆										◆		◆		12,70	4,76	22,00	0,50
	TPUN 160304			◆				◆	◆										9,53	3,18	16,50	0,40	-
	TPUN 160308			◆			◆	◆	◆										9,53	3,18	16,50	0,80	-
	TPUN 160312							◆	◆										9,53	3,18	16,50	1,20	-
	TPUN 220404							◆	◆										12,70	4,76	22,00	0,40	-
	TPUN 220408						◆	◆	◆										12,70	4,76	22,00	0,80	-
	TPUN 220412						◆	◆	◆										12,70	4,76	22,00	1,20	-
	TPXR 2204 PDSR-MP		◆			◆									◆		◆		12,70	4,76	22,00	1,00	1,70



		P							M			K				DIMENSIONES (mm)						
PLAQUITAS	REFERENCIA ISO	SF0361	SF1069	SF2069	SF3069	SF2561	SF3561	SF4067	SF2069	SF3069	SF4067	SF0567	SF1069	SF2069	SF2563							
	WPB 08	◆	◆	◆									◆	◆		8,00	2,00	9,50	0,60	4,00	-	
	WPB 10	◆	◆	◆									◆	◆		10,00	2,50	11,50	0,80	5,00	-	
	WPB 12	◆	◆	◆									◆	◆		12,00	2,50	14,00	1,00	6,00	-	
	WPB 16	◆	◆	◆									◆	◆		16,00	3,00	16,00	1,30	6,00	-	
	WPB 20	◆	◆	◆									◆	◆		20,00	3,00	20,00	1,60	6,00	-	
	WPRX-2 10		◆	◆									◆	◆		10,00	2,50	11,50	-	5,00	-	
	WPRX-2 12		◆	◆									◆	◆		12,00	2,50	11,90	-	6,00	-	
	WPRX-2 16		◆	◆									◆	◆		16,00	3,00	13,90	-	6,00	-	
	WPRX-2 20		◆	◆									◆	◆		20,00	3,00	15,90	-	6,00	-	
	WPRX-2 25		◆	◆									◆	◆		25,00	4,00	21,30	-	9,00	-	
	WPRX-2 32		◆	◆									◆	◆		32,00	5,00	25,80	-	10,00	-	
	WPV 08	◆	◆	◆									◆	◆		8,00	2,00	9,50	0,60	4,00	-	
	WPV 10	◆	◆	◆									◆	◆		10,00	2,50	11,50	0,80	5,00	-	
	WPV 12	◆	◆	◆									◆	◆		12,00	2,50	14,00	1,00	6,00	-	
	WPV 16	◆	◆	◆									◆	◆		16,00	3,00	16,00	1,30	6,00	-	
	WPV 20	◆	◆	◆									◆	◆		20,00	3,00	20,00	1,60	6,00	-	
	WPZ 08	◆														8,00	2,40	7,00	-	3,00	-	
	WPZ 10	◆														10,00	2,60	8,50	-	3,50	-	
	WPZ 12	◆														12,00	3,00	10,00	-	4,00	-	
	WPZ 16	◆	◆													16,00	4,00	12,00	-	4,00	-	
	WPZ 20	◆	◆													20,00	5,00	15,00	-	5,00	-	
	WPZ 25	◆	◆													25,00	6,00	18,50	-	6,00	-	
	WPZ 32	◆	◆													32,00	7,00	23,50	-	7,50	-	
	XPHT 1604 PDTR			◆										◆		9,53	4,75	16,00	1,20	-	1,70	
	XPHT 160420 PPTR			◆										◆		9,53	4,75	16,00	2,00	-	0,70	
	XPHT 160432 PDSR			◆										◆		9,53	4,75	16,00	3,20	-	-	





PLAQUITAS PARA FRESADO Y BARRENADO

PLAQUITAS	REFERENCIA ISO									DIMENSIONES (mm)				
		P				M				K		S		H
		NC5330	PC3500	PC5300	PC3545	PC3500	PC3545	PC9530	NC5330	PC5300	PC6510	PC5300	PC3545	PC5300
	APMT 060202 PDSR-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	APMT 0602 PDSR-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	APMT 060208 PDSR-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	APMT 060212R-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	APMT 060216R-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

PLAQUITAS	REFERENCIA ISO									DIMENSIONES (mm)		
		P				M				K		S
		NCM325	NCM335	PC3500	PC5300	PC3545	PC5300	PC3545	PC9530	PC5300	PC5300	PC3545
	RDKT 10T3M0-MF	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	RDKT 1204M0-MF	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	RDKT 10T3M0-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	RDKT 1204M0-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	RDKT 1605M0-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
	RDKT 2006M0-MM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

PLAQUITAS	REFERENCIA ISO						DIMENSIONES (mm)				
		P		M	K	S					
		PC5300	PC3500	PC5300	PC5300	PC5300	l	d	t	r	d1
	SPMT 040204-PD	◆	◆	◆	◆	◆	4,70	-	2,40	0,40	2,30
	SPMT 050204-PD	◆	◆	◆	◆	◆	5,10	-	2,40	0,40	2,30
	SPMT 060205-PD	◆	◆	◆	◆	◆	6,20	-	2,50	0,50	2,50
	XOMT 040204-PD	◆	◆	◆	◆	◆	4,30	4,90	2,40	0,40	2,30
	XOMT 050204-PD	◆	◆	◆	◆	◆	4,80	5,40	2,40	0,40	2,30
	XOMT 060204-PD	◆	◆	◆	◆	◆	5,80	6,60	2,50	0,40	2,50

PLAQUITAS	REFERENCIA ISO				DIMENSIONES (mm)					
		K		N						
		H01	PD2000	H01	l	l2	l1	t	r	d1
	XEKT 19M504FR-MA	◆	◆	◆	18,00	16,40	1,40	5,00	0,40	4,40
	XEKT 19M508FR-MA	◆	◆	◆	18,00	16,40	1,00	5,00	0,80	4,40
	XEKT 19M512FR-MA	◆	◆	◆	18,00	16,40	0,60	5,00	1,20	4,40
	XEKT 19M516FR-MA	◆	◆	◆	17,50	16,40	0,50	5,00	1,60	4,40
	XEKT 19M518FR-MA	◆	◆	◆	17,50	16,40	0,50	5,00	1,80	4,40
	XEKT 19M520FR-MA	◆	◆	◆	17,50	16,40	0,50	5,00	2,00	4,40
	XEKT 19M530FR-MA	◆	◆	◆	17,00	16,40	0,70	5,00	3,00	4,40
	XEKT 19M532FR-MA	◆	◆	◆	17,00	16,40	0,50	5,00	3,20	4,40
	XEKT 19M540FR-MA	◆	◆	◆	16,50	16,40	0,50	5,00	4,00	4,40
	XEKT 19M550FR-MA	◆	◆	◆	16,00	16,40	0,40	5,00	5,00	4,40








ADMX 11



PLAQUITAS PARA FRESADO





PLAQUITAS PARA FRESADO		P					M					K				N		S					DIMENSIONES (mm)						
PLAQUITA	REFERENCIA ISO	SF4093	SF1083	SF4083	SF1582	SF3082	SF4082	SF4093	SF1083	SF4083	SF1582	SF3082	SF4082	SF1083	SF4083	SF1582	SF3082	SF4093	SF1083	SF4083	SF1582	SF3082						SF4082	
	ADMX 11T304SR-F	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	6,530	2,90	11,00	3,97	0,4
	ADMX 11T308SR-F	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆		◆	◆	◆	◆			◆	◆	◆	◆	6,530	2,90	11,00	3,97	0,8

[illegible]

[illegible]




[illegible]




ADEX FR/SR -FA/FM

ADEX 16-FM


PLAQUITA		REFERENCIA ISO	P					M					K					S					N		DIMENSIONES (mm)				
			SF4093	SF1083	SF4083	SF1582	SF3082	SF4082	SF2593	SF4093	SF1083	SF4083	SF1582	SF3082	SF4082	SF2593	SF1083	SF4083	SF1582	SF3082	SF4082	SF2593	HF7	SF1503					
			d	d1	l	s																							
 ADEX FR -FA	ADEX 11T304 FR-FA																						◆	◆	6,450	2,90	9,70	3,91	0,4
	ADEX 11T308 FR-FA																						◆	◆	6,450	2,90	9,70	3,91	0,8
	ADEX 11T312 FR-FA																						◆	◆	6,450	2,90	9,70	3,91	1,2
	ADEX 11T316 FR-FA																						◆	◆	6,450	2,90	9,70	3,91	1,6
 ADEX SR -FM	ADEX 160608 SR-FM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆			16,00	4,50	16,00	6,25	0,8
	ADEX 160604 FR-FA																						◆	◆	16,00	4,50	16,00	6,17	0,4
	ADEX 160608 FR-FA																						◆	◆	16,00	4,50	16,00	6,17	0,8
	ADEX 160616 FR-FA																						◆	◆	16,00	4,50	16,00	6,17	1,6
	ADEX 160630 FR-FA																						◆	◆	16,00	4,50	16,00	6,17	3,0



ADEX HF



ADEX HF



ADEX HF2

PLAQUITAS PARA FRESADO

PLAQUITAS PARA FRESADO		P						M						K				S						H			DIMENSIONES (mm)					
PLAQUITA	REFERENCIA ISO	SF4093	SF1083	SF4083	SF1582	SF3082	SF2593	SF4093	SF1083	SF4083	SF1582	SF3082	SF2593	SF1083	SF4083	SF1582	SF3082	SF4093	SF1083	SF4083	SF1582	SF3082	SF2593	SF1083	SF1582	SF3082						
 ADEX SR -HF	ADEX 11T308SR-HF	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	6,450	2,90	10,67	3,82	0,8	
	ADEX 11T308SR-HF2	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆		◆	6,450	2,90	10,67	3,82	0,8	
	ADEX 160612SR-HF	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	15,575	4,50	16,00	5,88	1,2
	ADEX 160612SR-HF2	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆		◆	15,575	4,50	16,00	5,88	1,2